



MACHINTECH

INTELLICORE PRIVATE LIMITED

Product
Catalogue

2026



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Bulb MAC-X



Auto
On/Off



7W/10W



CCT
3000K/4000K
6500K



Per Watt
100 Lumens

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Motion Detection
Upto 9 m



IP20



Motion Sensor Dimmable Bulb MAC XPRO15DM



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



17W/16W/20w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Concealed Light MAC XTUBO XM



Auto
On/Off



10W



CCT
3000K/4000K
6500K



Per Watt
100 Lumens

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Motion Detection
Upto 9 m



IP20



Motion Sensor Round Panel Light MAC XVELADM



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



17W/16W/20w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Round Panel Light

MAC XVELA XM



Auto
On/Off

IP RATING



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



Motion Sensor Round Panel Light

MAC XVELAXPH



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



17W/16W/20w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Round Surface Panel Light

MAC XVELA(Surface)XM



Auto
On/Off

IP RATING



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20




Motion Sensor Round Surface Panel Light

MAC XVELA(Surface)DM



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Round Surface Panel Light

MAC XVELA (Surface) XPH



Auto
On/Off

IP RATING



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



Motion Sensor Square Panel Light

MAC XNOVADM



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Square Panel Light **MAC XNOVAXM**



Auto
On/Off

IP RATING



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



Motion Sensor Square Panel Light **MAC XNOVAXPH**



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Square Surface Panel Light

MAC XNOVA (Surface) XM

	Auto On/Off			Operating Voltage 220-270V/AC	
	12W/16W/20w			Time Delay Upto 60Sec	
	3000K/4000K 6500K			Motion Detection Upto 9 m	
	Per Watt 100 Lumens			IP20	

Motion Sensor Square Surface Panel Light

MAC XNOVA (Surface) DM

	Auto On-Off + DayNight		Operating Voltage 220-270V/AC	
	12W/16W/20w		Time Delay Upto 30Sec	
	3000K/4000K 6500K		Motion Detection Upto 9 m	
	Per Watt 100 Lumens		IP20	



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Square Surface Panel Light MAC XNOVA(Surface)XPH



Auto Dimmable

IP RATING



Operating Voltage
220-270V/AC



12W/16W/20w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



Motion Sensor T5 Tubelight MAC XNEU-T5 XM(2ft)



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



12W/20W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor T5 Tubelight MAC XNEU-T5 XD(2ft)



Auto Dimmable



12W/20w



CCT 3000K/4000K
6500K



Per Watt
100 Lumens

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 30Sec



Motion Detection
Upto 9 m



IP20



Motion Sensor T5 Tubelight MAC XNEU-T5 XM(4ft)

Auto On-Off
+ DayNight



20W/36W



3000K/4000K
6500K



Per Watt
100 Lumens



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Motion Detection
Upto 9 m



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor T5 Tubelight MAC XNEU-T5 DM(4ft)



Auto Dimmable

IP RATING



Operating Voltage
220-270V/AC



20W/36w



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



Motion Sensor T8 Tubelight M AC XNEO-T8 XM

Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



20W/36W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor T8 Tubelight MAC XNEO-T8 DM



Auto Dimmable



20W/36w



CCT 3000K/4000K
6500K



Per Watt
100 Lumens

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 30Sec



Motion Detection
Upto 9 m




IP20



Motion Sensor T8 Retrofit Tubelight MAC XNEUR-T8 XM

Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



20 W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor T8 Retrofit Tubelight **MAC XNEUR-T8 DM**



Auto Dimmable



40W



3000K/4000K
6500K



Per Watt
100 Lumens

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 30Sec



Motion Detection
Upto 9 m




IP20



Motion Sensor IP65 Tubelight **MAC XEVOT IP65 XM**



Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



36W/40W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP65





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor IP65 Tubelight

MAC XEVOTIP65DM



Auto Dimmable



36W/40W



3000K/4000K
6500K



Per Watt
100 Lumens

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Motion Detection
Upto 9 m



IP65



OFF 5

Motion Sensor IP65 Tubelight

MAC XEVOTIP65XPH

Auto On-Off
+ DayNight



Operating Voltage
220-270V/AC



36W/40W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP65





MACHINTECH
INTELLICORE PRIVATE LIMITED

OFF

Motion Sensor Linear Light MAC XPHANTOMLIGHTXM



Auto
On/Off



40W



3000K/4000K
6500K



Per Watt
100 Lumens

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Motion Detection
Upto 9 m



IP20



Motion Sensor Linear Light MAC XPHANTOM LIGHT DM

Auto
Dimmable



Operating Voltage
220-270V/AC



40W



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



IP RATING





MACHINTECH
INTELLICORE PRIVATE LIMITED

OFF

Motion Sensor Linear Light

MAC XPHANTOM24GhzXM

CCT



Auto
On/Off



40W



3000K/4000K
6500K



Per Watt
100 Lumens



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Presense Detection
Upto 3m



IP20



Motion Sensor Linear Light

MAC XPHANTOM 24Ghz DM



Auto
Dimmable



Operating Voltage
220-270V/AC



40W



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP20



IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor 2X2 Panel Light **MAC XEVAXM**



Auto
On/Off



36W/40W



3000K/4000K
6500K



Per Watt
100 Lumens



Operating Voltage
220-270V/AC

IP20



Time Delay
Upto 60Sec



Motion Detection
Upto 9 m



IP20



Motion Sensor 2X2 Panel Light **MAC XEVA DM**



Auto
Dimmable



36W/40W



3000K/4000K
6500K



Per Watt
100 Lumens



Operating Voltage
220-270V/AC



Time Delay
Upto 30Sec



Motion Detection
Upto 9 m



IP20



IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

OFF

Motion Sensor 2X2 Panel Light MAC XEVAXM24Ghz



Auto
On/Off



Operating Voltage
220-270V/AC



36W/40W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 3 m



Per Watt
100 Lumens



IP20



Motion Sensor 2X2 Panel Light MAC XEVADM24Ghz



Auto
Dimmable



Operating Voltage
220-270V/AC



36W/40W



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 3 m



Per Watt
100 Lumens



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Bulkhead Light

MAC XLUXM

CCT



Auto
On/Off



Operating Voltage
220-270V/AC



10W/12W/16W/20W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 9m



Per Watt
100 Lumens



IP65



Motion Sensor Bulkhead Light

MAC XLU DM



Auto
Dimmable



Operating Voltage
220-270V/AC



16W/20 W



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP65









IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Bulkhead Light MAC XLUXPH

-  Auto On/Off
-  W12W16W/20W
-  CCT 3000K/4000K 6500K
-  Per Watt 100 Lumens
-  Operating Voltage 220-270V/AC
-  Time Delay Upto 60Sec
-  Motion Detection Upto 9m
-  IP65



Motion Sensor Flood Light MAC XELPH XPH



-  Auto On-Off + Day Night
-  20W/50W/100W
-  3000K/4000K 6500K
-  Per Watt 100 Lumens
-  Operating Voltage 220-270V/AC
-  Time Delay Upto 60Sec
-  Motion Detection Upto 9m
-  IP65



MACHINTECH
INTELLICORE PRIVATE LIMITED

OFF

Motion Sensor Round Bulkhead Light

MAC XLUPXM



Auto
On/Off

IP RATING



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Motion Detection
Upto 9m



IP65



W 16W/20W



CCT 3000K/4000K
6500K



Per Watt
100 Lumens



Motion Sensor Round Bulkhead Light

MAC XLUP DM

Auto
Dimmable



Operating Voltage
220-270V/AC



16W/20W



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9 m



Per Watt
100 Lumens



IP65



IP RATING





MACHINTECH
INTELLICORE PRIVATE LIMITED

OFF

OB Light **Mac XCOB**



Auto
On/Off

IP RATING



Auto
Dimmable



Operating Voltage
220-270V/AC



12W/16W



3000K/4000K



Mounting Type
Recessed



Per Watt
100 Lumens




IP20



Foot Light **Mac XATOM**



Operating Voltage
220-270V/AC



PIR Sensor
Technology



3 W



Time Delay
Upto 60Sec



3000K/4000K
6500K



Motion Detection
Upto 2.5 m



Per Watt
60 Lumens



IP65



IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

Bollard Light **MAC XNEXA XM**

- OFF**
 - ON**
 - OPERATING**
 - IP65**
 - PER WATT**
- Auto On/Off**
 - W12W/15W**
 - CCT 3000K/4000K 6500K**
 - Per Watt 100 Lumens**

- Operating Voltage 220-270V/AC**
- Time Delay Upto 60Sec**
- Motion Detection Upto 12m 0**
- IP65**



Bollard Light **MAC XNEXA DM**



- Auto Dimmable**
- 12W/15W**
- 3000K/4000K 6500K**
- Per Watt 100 Lumens**
- Operating Voltage 220-270V/AC**
- Time Delay Upto 30Sec**
- Motion Detection Upto 9 m**
- IP65**





MACHINTECH
INTELLICORE PRIVATE LIMITED

Linear Highbay Light **MAC BAYMAX XM**



Auto
On/Off



Operating Voltage
220-270V/AC



100W



Time Delay
Upto 60Sec



3000K/4000K
6500K




Motion Detection
Upto 12m 0



Per Watt
100 Lumens




IP65



Linear Highbay Light **MAC BAYMAX DM**

Auto
Dimmable



Operating Voltage
220-270V/AC



100W



Time Delay
Upto 30Sec



3000K/4000K
6500K




Motion Detection
Upto 12m



Per Watt
100 Lumens



IP65





MACHINTECH
INTELLICORE PRIVATE LIMITED

OFF

Motion Sensor Wellglass Light

MAC XMAXXXM

CCT



Auto
On/Off

IP RATING



Operating Voltage
220-270V/AC



W 35W/50W



Time Delay
Upto 60Sec



3000K/4000K
6500K




Motion Detection
Upto 9m



Per Watt
100 Lumens



IP65



Motion Sensor Wellglass Light

MAC XMAXXDM

Auto
Dimmable



Operating Voltage
220-270V/AC



35W/50W W



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9m



Per Watt
100 Lumens



IP65



IP RATING





MACHINTECH
INTELLICORE PRIVATE LIMITED

Highbay Light **MAC XLURA XM**

- CCT**
- Auto On/Off
 - W** 100W/150W
 - CCT** 3000K/4000K 6500K
 - 110 Lumens

IP RATING

- Operating Voltage 220-270V/AC
- Time Delay Upto 60Sec
- Motion Detection Upto 12m
- IP65



Highbay Light **MAC XLURA DM**

Auto Dimmable



Operating Voltage 220-270V/AC



100W/150W W



Time Delay Upto 30Sec



3000K/4000K 6500K



Motion Detection Upto 12m



Per Watt 100 Lumens



IP65





MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Street Light

MAC XTOMXM

40



Auto
On/Off



Operating Voltage
220-270V/AC



W 35W/50W/80W



Time Delay
Upto 60Sec



CCT 3000K/4000K
6500K



Motion Detection
Upto 9m 0



Per Watt
100 Lumens



IP65



Motion Sensor Street Light

MAC XTOMDM



Auto
Dimmable



Operating Voltage
220-270V/AC



35W/50W/80W (W)



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9m



Per Watt
100 Lumens



IP65



IP RATING



MACHINTECH
INTELLICORE PRIVATE LIMITED

Motion Sensor Street Light MAC XTOM XPH



Auto
On/Off



35W/50W/80W



CCT 3000K/4000K
6500K



Per Watt
100 Lumens



Operating Voltage
220-270V/AC



Time Delay
Upto 60Sec



Motion Detection
Upto 9m 0



IP65



Motion Sensor Street Light MAC XTOMPRODPH



Auto
Dimmable



Operating Voltage
220-270V/AC



35W/50W/80W (W)



Time Delay
Upto 30Sec



3000K/4000K
6500K



Motion Detection
Upto 9m



Per Watt
100 Lumens



IP65









MACHINTECH
INTELLICORE PRIVATE LIMITED

Emergency T5 Tubelight

MAC NEU EMR -T5

-  **Operating Voltage**
220-270V/AC
-  **Emergency Backup**
Upto 2 Hour
-  **20W**
-  **Battery Type**
Li-ion
-  **Emergency Wattage**
25W
-  **Battery Voltage**
3.7
-  **3000K/4000K**
6500K
-  **Battery mAh**
2200mAh
-  **IP20**



Motion Sensor Emergency T8 Tubelight

MAC XNEO EMR-T8 DM

-  **Operating Voltage**
220-270V/AC
-  **Emergency Backup**
Upto 2 Hour
-  **20W**
-  **Battery Type**
Li-ion
-  **Emergency Wattage**
5W
-  **Battery Voltage**
3.7
-  **3000K/4000K**
6500K
-  **Battery mAh**
2200mAh
-  **IP20**





MACHINTECH
INTELLICORE PRIVATE LIMITED

Emergency Floodlight MAC EMR FLOODLIGHT



Operating Voltage
220-270V/AC



Emergency Backup
Upto 2 Hour



20W



Battery Type
Li-ion



Emergency Wattage
25W



Battery Voltage
3.7



3000K/4000K
6500K



Battery mAh
4400mAh



IP65



Emergency Linear Light MAC EMRPHANTOM



Operating Voltage
220-270V/AC



Emergency Backup
Upto 2 Hour



40W



Battery Type
Li-ion



Emergency Wattage
10W



Battery Voltage
7.4



3000K/4000K
6500K



Battery mAh
2200mAh



IP20





MACHINTECH
INTELLICORE PRIVATE LIMITED



MACHINTECH
INTELLICORE PRIVATE LIMITED

MACHINTECH INTELLICORE PRIVATE LIMITED
AFF-77 GAUR WORLD SMARTSTREET
GREATER NOIDA
Email: SUPPORT@MACHINTECH.TECH
Phone No: 9188103 11464,
Support: 9112051 50831